




# SUBMITTAL DATA SHEET

## Console Heat Pump System

Location: \_\_\_\_\_  
 Engineer: \_\_\_\_\_  
 Submitted to: \_\_\_\_\_  
 Submitted by: \_\_\_\_\_  
 Reference: \_\_\_\_\_

Approval: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Construction: \_\_\_\_\_  
 Unit #: \_\_\_\_\_  
 Drawing #: \_\_\_\_\_

<b>Set Model</b>	Indoor unit model	CCOXHAFM12
<b>Certified</b>	AHRI	
	UL	



REFRIGERANT PIPE DATA		
Design pressure	(PSIG)	550/340
Refrigerant Type		R410A
Liquid side/ Gas side(indoor)	(inch)	1/4"/1/2"
Connection method		Flared

OPERATING RANGE		
Indoor(cooling)	(Deg. °F)	60~90
Indoor(heating)	(Deg. °F)	32~86

DIMENSIONS		
Dimension (WxDxH)	(inch)	31.26x7.87x24.45
Packing(WxDxH)	(inch)	34.06x11.02x28.31
Net/Gross weight	(lbs.)	32.85/41.45

INDOOR UNIT DATA		
<b>Indoor fan motor</b>		
Model		ZKFP-13-8-136+ZKFP-13-8-104
Qty		1+1
Input	(W)	/
Output	(W)	13.0
RLA	(A)	0.50
Speed(Hi/Mi/Lo)	(r/min)	992/884/776
<b>Air flow &amp; Noise level</b>		
Indoor air flow (Hi/Med/Lo) (No duct)	(CFM)	441.18/376.47/323.53/264.71
Indoor noise level (Hi/Med/Lo)	[dB(A)]	42/39/25
Dehumidification	(L/H)	1.4

## Indoor unit dimensions

